Disclosure of Information on Lead-Based Paint and/or Lead-Based Paint Hazards

Lead Warning Statement

Housing built before 1978 may contain lead-based paint. Lead from paint, paint chips, and dust can pose health hazards if not managed properly. Lead exposure is especially harmful to young children and pregnant women. Before renting pre-1978 housing, lessors must disclose the presence of known lead-based paint and/or lead-based paint hazards in the dwelling. Lessees must also receive a federally approved pamphlet on lead poisoning prevention.

Le	ssor's D	isclosure		
(a)	Presence of lead-based paint and/or lead-based paint hazards (check (i) or (ii) below):			
	(i) Known lead-based paint and/or lead-based paint hazards are present in the housi (explain).			are present in the housing
	(ii) Lessor has no knowledge of lead-based paint and/or lead-based paint hazards in housing.			
(b)	Records and reports available to the lessor (check (i) or (ii) below):			
	(i) Lessor has provided the lessee with all available records and reports pertaining to lead-based paint and/or lead-based paint hazards in the housing (list documents below).			
	(ii)	Lessor has no reports or records pertaining to lead-based paint and/or lead-based paint hazards in the housing.		
		cknowledgment (initial)		
		Lessee has received copies of all information listed above.		
(d)	Lessee has received the pamphlet Protect Your Family from Lead in Your Home.			
Age	ent's Ac	knowledgment (initial)		
(e)	Agent has informed the lessor of the lessor's obligations under 42 U.S.C. 4852(d is aware of his/her responsibility to ensure compliance.			
Cer	tificatio	on of Accuracy		
The the	followii informa	ng parties have reviewed the information they have provided is true and a	ation above and certify, to the baccurate.	est of their knowledge, that
Less	or	Date	Lessor	Date
Less	see	Date	Lessee	Date
Age	nt	Date	Agent	Date

Simple Steps To Protect Your Family from Lead Hazards Get your young children tested for lead, even if they seem healthy. Wash children's hands, bottles, pacifiers, and toys # Make sure children eat healthy, low-fat foods. Get your home checked for lead hazards. Regularly clean floors, window sills, and other # Wipe soil off shoes before entering house. # Talk to your landlord about fixing surfaces with peeling or chipping paint. Take precautions to avoid exposure to lead dust when remodeling or renovating (call 1-800-424-LEAD for guidelines). iii Don't use a belt-sander, propane torch, high temperature heat gun, scraper, or sandpaper on painted surfaces that may contain lead. Don't try to remove lead-based paint yourself.

any houses and apartments built before 1978 have paint that contains high levels of lead (called leadbased paint). Lead from paint, chips, and dust can pose serious health hazards if not taken care of properly.



encouraged to check for lead (see page 6) before renting, buying or renovating pre-1978 housing.

ederal law requires that individuals receive certain information before renting, buying, or renovating pre-1978 housing:




have to disclose known information on lead-based paint and lead-based paint hazards before leases take effect. Leases must include a disclosure about lead-based paint.



have to disclose known information on lead-based paint and lead-based paint hazards before selling a house. Sales contracts must include a disclosure about lead-based paint. Buyers have up to 10 days to check for lead.



disturbing more than 2 square feet of painted surfaces have to give you this pamphlet before starting work.



Lead exposure can harm young children and babies even before they are born.

Even children who seem healthy can have high levels of lead in their bodies.

People can get lead in their bodies by breathing or swallowing lead dust, or by eating soil or paint chips containing lead.

People have many options for reducing lead hazards. In most cases, lead-based paint that is in good condition is not a hazard.

Removing lead-based paint improperly can increase the danger to your family.

If you think your home might have lead hazards, read this pamphlet to learn some simple steps to protect your family.

People can get lead in their body if they:


- Breathe in lead dust (especially during renovations that disturb painted surfaces).
- Put their hands or other objects covered with lead dust in their mouths.
- Eat paint chips or soil that contains lead.

Lead is even more dangerous to children under the age of 6:

- At this age children's brains and nervous systems are more sensitive to the damaging effects of lead.
- Children's growing bodies absorb more lead.
- Babies and young children often put their hands and other objects in their mouths. These objects can have lead dust on them

Lead is also dangerous to women of childbearing age:

Women with a high lead level in their system prior to pregnancy would expose a fetus to lead through the placenta during fetal development.



Many homes built before 1978 have leadbased paint. The federal government banned lead-based paint from housing in 1978. Some states stopped its use even earlier. Lead can be found:

- In homes in the city, country, or suburbs.
- In apartments, single-family homes, and both private and public housing.
- Inside and outside of the house.
- In soil around a home. (Soil can pick up lead from exterior paint or other sources such as past use of leaded gas in cars.)

To reduce your child's exposure to lead, get your child checked, have your home tested (especially if your home has paint in poor condition and was built before 1978), and fix any hazards you may have. Children's blood lead levels tend to increase rapidly from 6 to 12 months of age, and tend to peak at 18 to 24 months of age.

Consult your doctor for advice on testing your children. A simple blood test can detect high levels of lead. Blood tests are usually recommended for:

- Children at ages 1 and 2.
- Children or other family members who have been exposed to high levels of lead.
- Children who should be tested under your state or local health screening plan.

Your doctor can explain what the test results mean and if more testing will be needed.

Lead's Effects

It is important to know that even exposure to low levels of lead can severely harm children.

In children, lead can cause:


- Nervous system and kidney damage.
- Learning disabilities, attention deficit disorder, and decreased intelligence.
- Speech, language, and behavior problems.
- Poor muscle coordination.
- Decreased muscle and bone growth.
- Hearing damage.

While low-lead exposure is most common, exposure to high levels of lead can have devastating effects on children, including seizures, unconsciousness, and, in some cases, death.

Although children are especially susceptible to lead exposure, lead can be dangerous for adults too.

In adults, lead can cause:

- Increased chance of illness during pregnancy.
- Harm to a fetus, including brain damage or death.
- Fertility problems (in men and women).
- High blood pressure.
- Digestive problems.
- Nerve disorders.
- Memory and concentration problems.
- Muscle and joint pain.



Lead-based paint is usually not a hazard if it is in good condition, and it is not on an impact or friction surface, like a window. It is defined by the federal government as paint with lead levels greater than or equal to 1.0 milligram per square centimeter, or more than 0.5% by weight.

Deteriorating lead-based paint (peeling, chipping, chalking, cracking or damaged)

is a hazard and needs immediate attention. It may also be a hazard when found on surfaces that children can chew or that get a lot of wear-and-tear, such as:

- Windows and window sills
- Doors and door frames.
- Stairs, railings, banisters, and porches

Lead dust can form when lead-based paint is scraped, sanded, or heated. Dust also forms when painted surfaces bump or rub together. Lead chips and dust can get on surfaces and objects that people touch. Settled lead dust can re-enter the air when people vacuum, sweep, or walk through it. The following two federal standards have been set for lead hazards in dust:

- 40 micrograms per square foot (μg/ft²) and higher for floors, including carpeted floors.
- $# 250 \,\mu\text{g/ft}^2$ and higher for interior window sills.

Lead in soil can be a hazard when children play in bare soil or when people bring soil into the house on their shoes. The following two federal standards have been set for lead hazards in residential soil:

- 400 parts per million (ppm) and higher in play areas of bare soil.
- 1.200 ppm (average) and higher in bare soil in the remainder of the yard.

The only way to find out if paint, dust and soil lead hazards exist is to test for them. The next page describes the most common methods used.

You can get your home tested for lead in several different ways:

- A paint inspection tells you whether your home has lead-based paint and where it is located. It won't tell you whether or not your home currently has lead hazards.
- A **risk assessment** tells you if your home currently has any lead hazards from lead in paint, dust, or soil. It also tells you what actions to take to address any hazards.
- A combination risk assessment and inspection tells you if your home has any lead hazards and if your home has any lead-based paint, and where the lead-based paint is located.

Hire a trained and certified testing professional who will use a range of reliable methods when testing your home.

- Visual inspection of paint condition and location.
- A portable x-ray fluorescence (XRF) machine.
- Lab tests of paint, dust, and soil samples.

There are state and federal programs in place to ensure that testing is done safely, reliably, and effectively. Contact your state or local agency (see bottom of page 11) for more information, or call 1-800-424-LEAD (5323) for a list of contacts in your area.

Home test kids for lead are available, but may not always be accurate. Consumers should not rely on these kits before doing renovations or to assure safety.

In addition to day-to-day cleaning and good nutrition:

- You can temporarily reduce lead hazards by taking actions such as repairing damaged painted surfaces and planting grass to cover soil with high lead levels. These actions (called "interim controls") are not permanent solutions and will need ongoing attention.
- To **permanently** remove lead hazards, you should hire a certified lead "abatement" contractor. Abatement (or permanent hazard elimination) methods include removing, sealing, or enclosing lead-based paint with special materials. Just painting over the hazard with regular paint is not permanent removal.

Always hire a person with special training for correcting lead problems—someone who knows how to do this work safely and has the proper equipment to clean up thoroughly. Certified contractors will employ qualified workers and follow strict safety rules as set by their state or by the federal government.

Once the work is completed, dust cleanup activities must be repeated until testing indicates that lead dust levels are below the following:

- 40 micrograms per square foot (μg/ft²) for floors, including carpeted floors;
- * 250 μ g/ft² for interior windows sills; and
- $400 \,\mu\text{g/ft}^{2}$ for window troughs.

Call your state or local agency (see bottom of page 11) for help in locating certified professionals in your area and to see if financial assistance is available.

If you suspect that your house has lead hazards, you can take some immediate steps to reduce your family's risk:

- If you rent, notify your landlord of peeling or chipping paint.
- Clean up paint chips immediately.
 Clean floors, window frames, window sills, and other surfaces weekly. Use a mop or sponge with warm water and a general all-purpose cleaner or a cleaner made specifically for lead. REMEMBER: NEVER MIX AMMONIA AND BLEACH PRODUCTS TOGETHER SINCE THEY CAN FORM A DANGEROUS GAS
- Thoroughly rinse sponges and mop heads after cleaning dirty or dusty areas.
- Wash children's hands often, especially before they eat and before nap time and bed time.
- Keep play areas clean. Wash bottles, pacifiers, toys, and stuffed animals regularly.
- Keep children from chewing window sills or other painted surfaces.
- Clean or remove shoes before entering your home to avoid tracking in lead from soil.
- Make sure children eat nutritious, low-fat meals high in iron and calcium, such as spinach and dairy products. Children with good diets absorb less lead.







Take precautions before your contractor or you begin remodeling or renovating anything that disturbs painted surfaces (such as scraping off paint or tearing out walls):


- Have the area tested for lead-based
- Do not use a belt-sander, propane torch, high temperature heat gun, dry scraper, or dry sandpaper to remove lead-based paint. These actions create large amounts of lead dust and fumes. Lead dust can remain in your home long after the work is done.
- Temporarily move your family (especially children and pregnant women) out of the apartment or house until the work is done and the area is properly cleaned. If you can't move your family, at least completely seal off the work area.
- Follow other safety measures to reduce lead hazards. You can find out about other safety measures by calling 1-800-424-LEAD. Ask for the brochure "Reducing Lead Hazards When Remodeling Your Home." This brochure explains what to do before, during, and after renovations.

If you have already completed renovations or remodeling that could have released lead-based paint or dust, get your young children tested and follow the steps outlined on page 7 of this brochure.









- · Use only cold water for drinking and cooking.
- Run water for 15 to 30 seconds before drinking it, especially if you have not used your water for a few
- The job. If you work with lead, you could bring it home on your hands or clothes. Shower and change clothes before coming home. Launder your work clothes separately from the rest of your family's clothes.
- Old painted toys and furniture.
- Food and liquids stored in lead crystal or lead-glazed pottery or porcelain.
- Lead smelters or other industries that release lead into the air.
- Hobbies that use lead, such as making pottery or stained glass, or refinishing furniture.
- Folk remedies that contain lead, such as "greta" and "azarcon" used to treat an upset stomach.





Your Regional EPA Office can provide further information regarding regulations and lead protection programs.

EPA Regional Offices

Maine, New Hampshire, Rhode Island, Vermont) Region 1 (Connecticut, Massachusetts

Regional Lead Contact U.S. EPA Region 1 Suite 1100 (CPT) One Congress Street Boston, MA 02114 2023 1 (888) 372-7341

Region 2 (New Jersey, New York, Puerto Rico, Virgin Islands)

Regional Lead Contact Regional Lead Contact U.S. EPA Region 2 2890 Woodbridge Avenue Building 209, Mail Stop 225 Edison, NJ 08837-3679 (732) 321-0071

Region 3 (Delaware, Maryland Pennsylvania, Virginia, Washington DC. West Virginiaj

Regional Lead Contact U.S. LPA Region 3 (3WC33) 1650 Arch Street Philadelphia, PA 19103 (215) 814 5000

Region 4 (Alabama, Horida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee)

Regional Lead Contact U.S. TPA Region 4 of forsyth Street, SW Atlanta, GA 30303 (404) 562-8998

Region 5 (Illinois, Indiana, Michigan, Minnesota, Ohio, Wisconsin)

Regional Lead Contact U.S. EPA Region 5 (DT-8J) 77 West Jackson Boulevard Chicago, IL 60604-3666 (312) 886-6003 Region 6 (Arkansas, Louisiana, New Mexico, Oklahoma, Texas)

Regional Lead Contact (LS. EPA Region 6 1445 Ross Avenue, 12th Floor Dallas, TX 75202-2733 (214) 605-7577

Region 7 (Iowa, Kansas, Missouri

Regional Lead Contact Regional Lead Contact U.S. EPA Region 7 (ARTD-RALI) 901 N. 5th Street Kansas City, KS 06101 (913) 551-7020

Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming)

Regional Lead Contact U.S. EPA Region 8 999-18th Street, Suite 500 Denver, CO: 80202-2466 (303) 312-6071

Region 9 (Arizona, California, Hawaii, Nevada)

Regional Lead Contact Region 9 75 Hawthorne Street San francisco, CA 94105 (415) 947-4104

Region 10 (Alaska, Idaho, Oregon, Washington)

Regional Lead Contact U.S. EPA Region 10 Toxics Section WCM-128 1200 Sixth Avenue eattle, WA 98101-1128 (206) 553-1985

The National Lead Information Center

Call 1-800-424-LEAD (424-5323) to learn how to protect children from lead poisoning and for other information on lead hazards. To access lead information via the web, visit www.epa.gov/lead and www.hud.gov/offices/lead/.

EPA's Safe Drinking Water Hotline

Call 1-800-426-4791 for information about lead in drinking water.

Consumer Product Safety Commission (CPSC) Hotline

To request information on lead in consumer products, or to report an unsafe consumer product or a product-related injury call 1-800-638-2772, or visit CPSC's Web site at: www.cpsc.gov.

Health and Environmental Agencies

Some cities, states, and tribes have their own rules for lead-based paint activities. Check with your local agency to see which laws apply to you. Most agencies can also provide information on finding a lead abatement firm in your area, and on possible sources of financial aid for reducing lead hazards. Receive up-to-date address and phone information for your local contacts on the Internet at www.epa.gov/lead or contact the National Lead Information Center at 1-800-424-LEAD.

For the hearing impaired, call the Federal Information Relay Service at the phone numbers in this brochure

Your Regional CPSC Office can provide further information regarding regulations and consumer product safety.

Eastern Regional Center Consumer Product Safety Commission 201 Varick Street, Room 903 New York, NY 10014 (212) 620-4120

Western Regional Center Consumer Product Safety Commission 1301 Clay Street, Suite 610-N Oakland, CA 94612 (510) 637-4050

Central Regional Center

Consumer Product Safety Commission 230 South Dearborn Street, Room 2944 Chicago, IL 60604 (312) 353-8260

Please contact HUD's Office of Healthy Homes and Lead Hazard Control for information on lead regulations, outreach efforts, and lead hazard control and research grant programs.

U.S. Department of Housing and Urban DevelopmentOffice of Healthy Homes and Lead Hazard Control
451 Seventh Street, SW, P-3206
Washington, DC 20410
(202) 755-1785

This document is in the public domain. It may be reproduced by an individual or organization without permission. Information provided in this booklet is based upon current scientific and technical understanding of the issues presented and is reflective of the jurisdictional boundaries established by the statutes governing the co-authoring agencies. Following the advice given will not necessarily provide complete protection in all situations or against all health hazards that can be caused by lead exposure.

U.S. EPA Washington DC 20460

U.S. CPSC Washington DC 20207 U.S. HUD Washington DC 20410

EPA747-K-99-001